

## MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### **SDS # :** 39031

# **AURELIA TI 3040**

Date of the	previous version:	2012-12-03
Date of the	pievious version.	2012-12-00

Revision Date: 2013-10-03

Version 3

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name	AURELIA TI 3040
Number	RBQ
Pure substance/mixture	Mixture***

1.2. Relevant identified uses of the substance or mixture and uses advised against

### Identified uses

Marine Trunk Piston Engine Oil.\*\*\*

### 1.3. Details of the supplier of the safety data sheet

Supplier	TOTAL LUBRIFIANTS
	562 Avenue du Parc de L'ile
	92029 Nanterre Cedex
	Tél: +33 (0)1 41 35 40 00
	Fax: +33 (0)1 41 35 84 71***

### For further information, please contact:

Contact Point	HSE***
E-mail Address	rm.msds-lubs@total.com***

### 1.4. Emergency telephone number

### +33 1 49 00 00 49 (24h/24, 7d/7)\*\*\*

France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59\*\*\*

In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel : 01.40.05.48.48. -MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel (15)\*\*\*

### 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

### REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

\*\*\*

### DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16



# **AURELIA TI 3040**

Revision Date: 2013-10-03

Version 3

\*\*\*

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments\*\*\*
Symbol(s)
none\*\*\*
Classification
R52-53 \*\*\*

2.2. Label elements

Labelled according to

Directive 1999/45/EC\*\*\*

\*\*\* \*\*\*

### R-phrase(s)

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment\*\*\*

### S-phrase(s)

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets\*\*\*

\*\*\*

Contains Salts of alkyl hydroxybenzoic acid, Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivatives, calcium salt (2:1) May produce an allergic reaction.\*\*\*

\*\*\*

### 2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.\*\*\*

**Environmental properties** 

Should not be released into the environment.\*\*\*

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture\*\*\*

- - - - -

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Salts of alkyl hydroxybenzoic acid***	-	no data available	220795-13-1	< 3	R43 Xi;R38 R53	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)
Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivatives, calcium salt (2:1)***	-	_***	900185-23-1	< 2	Xi;R38 R43 R53	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)
Alkylphenate sulfurised, calcium salt***	291-829-9	01-2119524004-56	90480-91-4	< 2	R53	Aquatic Chronic 4 (H413)
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)***	224-235-5	01-2119493635-27	4259-15-8	< 1	Xi;R41 N;R51-53	Aquatic Chronic 2 (H411) Eye Dam. 1 (H318)

Version EU



# **AURELIA TI 3040**

Revision Date: 2013-10-03

Version 3

Branched alkylphenol and Calcium branched alkylphenol***	no data available	٨	< 0.5	Xi;R36/38 Repr.Cat.3;R62 N;R50-53	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
--	-------------------	---	-------	---	--

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346\*\*\*

### For the full text of the R-phrases mentioned in this Section, see Section 16 For the full text of the H-Statements mentioned in this Section, see Section 16.

4.	FIRST	AID MEASURES	
	1 11 (0 1		

### 4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.***	
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.	
Inhalation	Move to fresh air.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.***	
4.2. Most important symptoms and effects, both acute and delayed		
Eye contact	Not classified.***	
Skin contact	Not classified. May produce an allergic reaction.***	

Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.***
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically.

diarrhea.\*\*\*

5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media



<b>SDS #</b> : 39031	AURELIA TI 3040
	Revision Date: 2013-10-03 Version
Suitable Extinguishing Media	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog.***
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
5.2. Special hazards arisi	ng from the substance or mixture
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
5.3. Advice for fire-fighter	<u>S</u>
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
6. ACCIDENTAL RELEASE	MEASURES
6.1. Personal precautions	, protective equipment and emergency procedures
General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.***
6.2. Environmental precau	utions
General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.***
6.3. Methods and materia	Is for containment and cleaning up
Methods for cleaning up	Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.***
6.4. Reference to other se	ections
Personal Protective Equipment	See Section 8 for more detail.
Waste treatment	See section 13.



# AURELIA TI 3040

Revision Date: 2013-10-03

Version 3

7.1. Precautions for safe	handling
Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.***
Prevention of fire and explosion	Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.***
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.***
Materials to Avoid	Strong oxidizing agents.***

### 7.3. Specific end uses

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Exposure limits	oil mist : 10mg/m <sup>3</sup> , for 15 minutes; oil mist : 5mg/m <sup>3</sup> , for 8 hours.***

Legend See section 16

### DNEL Worker (Industrial/Professional)\*\*\*

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)*** 4259-15-8			9.6 mg/kg bw/day Dermal 6.6 mg/m³ Inhalation	
DNEL Consumer***				
Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects



# **AURELIA TI 3040**

**Revision Date: 2013-10-03** 

Version 3

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)*** 4259-15-8	4.8 mg/kg bw/day Dermal 1.67 mg/m³ Inhalation 0.19 mg/kg/bw/day Oral
Predicted No Effect Concentration ***	

# Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
zinc	0.004 mg/l fw	0.0701 mg/kg dw	0.0548 mg/kg dw		3.8 mg/l	8.33 mg/kg food
bis[O,O-bis(2-ethylh	0.0046 mg/l mw	fw				
exyl)]	0.044 mg/l or***	0.00701 mg/kg				
bis(dithiophosphate)		dw mw***				
***						
4259-15-8						

8.2. Exposure controls

### **Occupational Exposure Controls**

Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.	
Personal Protective Equipment		
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.***	
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.	
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.***	
Hand Protection	Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.***	

Environmental exposure controls

**General Information** 

- - - -

The product should not be allowed to enter drains, water courses or the soil.

### 9. PHYSICAL AND CHEMICAL PROPERTIES



# AURELIA TI 3040

**Revision Date:** 2013-10-03

Version 3

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		yellow*** liquid*** Characteristic***	
Property_ pH Boiling point/boiling range	Values	Remarks Not applicable*** Not applicable***	Method
Flash point ***	>*** 230*** °C*** >*** 446*** °F***		Cleveland Open Cup (COC)*** Cleveland Open Cup (COC).***
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature	913*** kg/m <sup>3***</sup>	No information available*** No information available No information available*** @ 15 °C*** Insoluble*** No information available*** No information available*** No information available***	
Viscosity, kinematic *** Explosive properties Oxidizing Properties Possibility of hazardous reactions	*** 106*** mm2/s*** *** 12*** mm2/s*** Not explosive*** Not applicable*** Not applicable***	@ 40 °C *** @ 100 °C***	ISO 3104 *** ISO 3104***

9.2. Other information

### 10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Reactions** 

None under normal processing.

10.4. Conditions to Avoid

**Conditions to Avoid** 

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.\*\*\*

10.5. Incompatible Materials



# **AURELIA TI 3040**

Revision Date: 2013-10-03

Version 3

Materials to Avoid Strong oxidizing agents.\*\*\*

### 10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use.

### 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

### Acute toxicity Local effects Product Information

Skin contact	. Not classified. May produce an allergic reaction.***
Eye contact	Not classified.***
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.***
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.***

### Acute toxicity - Component Information

- - - -

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Alkylphenate sulfurised, calcium salt***	LD50 >5000 mg/kg Oral	LD50 >5000 mg/kg Dermal	
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)***	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	
Sensitization			
Sensitization	supplier of one of the compone	Contains sensitizer(s). May proc ents contained within this formu t at the concentration used, no s	ation has indicated that they
Specific effects			
Carcinogenicity	low levels of combustion producancer in mice following repea	arcinogenic. During use in engin ucts occurs. Used motor oils have ted application and continuous il is not expected to have seriou hing with soap and water.***	ve been shown to cause skin exposure. Brief or intermittent
Mutagenicity	This product is not classified as mutagenic.***		
Reproductive toxicity Repeated Dose Toxicity		any known or suspected reproc	luctive hazards.***
Subchronic toxicity	No information available.***		



# SDS #: 39031 AURELIA TI 3040 Revision Date: 2013-10-03 Version 3 Target Organ Effects (STOT) Target Organ Effects (STOT) Target Organ Effects (STOT) No information available.\*\*\* Other information Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).\*\*\* 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.\*\*\*

### Acute aquatic toxicity - Product Information

No information available.\*\*\*

### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Alkylphenate sulfurised, calcium salt*** 90480-91-4	EC50 (72h) > 500 mg/l (Desmodesmus subspicatus - OECD 201)***	EL50 (48h) > 1000 mg/l (Daphnia magna - OECD 202)***	LC50 (96h) > 1000 mg/l (Pimephales promelas - OECD 203)***	
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)*** 4259-15-8	EC50 (72h) > 240 mg/l (Desmodesmus subspicatus)***	EC50 (48h) > 1 - < 10 mg/l (Daphnia magna - OECD 202)***	LC50 (96h) 1 - 10 mg/l (Oncorhynchus mykiss - OECD 203)***	

### Chronic aquatic toxicity - Product Information

No information available.\*\*

### Chronic aquatic toxicity - Component Information

No information available.\*\*\*

### Effects on terrestrial organisms

No information available.\*\*\*

### 12.2. Persistence and degradability

### **General Information**

No information available.

### 12.3. Bioaccumulative potential

### **Product Information**

No information available.



# AURELIA TI 3040

### **Revision Date: 2013-10-03**

Version 3

logPow Component Information	No information available***			
Component Information Chemical	Name	log Pow		
Alkylphenate sulfurised, calc		9.5***		
zinc bis[0,0-bis(2-ethylhexyl)] bis(	dithiophosphate)*** - 4259-15-8	3.6		
12.4. Mobility in soil				
Soil	Given its physical and chen mobility.***	nical characteristics, the product generally shows low soil		
Air	Loss by evaporation is limit	ed.***		
Water	Insoluble. The product spre	Insoluble. The product spreads on the surface of the water.***		
12.5. Results of PBT and	vPvB assessment			
PBT and vPvB assessment	No information available.***			
12.6. Other adverse effe	<u>cts</u>			
General Information	No information available.***			
13. DISPOSAL CONSIDER	ATIONS			
13.1. Waste treatment n	nethods			
Waste from Residues / Unused Products	Directives on waste and ha Where possible recycling is sent to a licensed waste oil	the environment. Dispose of in accordance with the Europear zardous waste. Dispose of in accordance with local regulations preferred to disposal or incineration. After use, this oil must be facility. Incorrect disposal of used oil poses a risk to the ther waste types such as solvents, brake- and cooling liquids i		

# **Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No.** The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.\*\*\*

### 14. TRANSPORT INFORMATION

ADR/RID

- - - -

Not regulated

IMDG/IMO

Not regulated



# **AURELIA TI 3040**

Revision Date: 2013-10-03

Version 3

ICAO/IATA

ADN

Not regulated

Not regulated

### 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories

**EINECS/ELINCS** TSCA DSL ENCS IECSC KECL PICCS AICS NZIOC Legend EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List **ENCS** - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals

Further information

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment

No information available\*\*\*

16. OTHER INFORMATION



# **AURELIA TI 3040**

**Revision Date:** 2013-10-03

Version 3

### Full text of R-phrases referred to under sections 2 and 3

- R43 May cause sensitization by skin contact
- R53 May cause long-term adverse effects in the aquatic environment
- R38 Irritating to skin
- R41 Risk of serious damage to eyes
- R62 Possible risk of impaired fertility\*\*\*
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R36/38 - Irritating to eyes and skin

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment\*\*\*

### Full text of H-Statements referred to under sections 2 and 3

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H361f Suspected of damaging fertility

. . . . . . . . . . . . . . . . .

- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H413 May cause long lasting harmful effects to aquatic life\*\*\*

### Abbreviations, acronyms

Legend Sec	tion 8		
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date:	2013-10-03
Revision Note	*** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet