

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 32867

VISGA 150

Date of the previous version: 2	013-02-20	Revision Date: 2013-12-05	Version 2
1. IDENTIFICATION OF T	HE SUBSTANCE/MI	XTURE AND OF THE COMPANY/UNDERTAK	ING
1.1. Product identifier			
Product name Number Pure substance/mixture	VISGA 150 HHZ Mixture		
1.2. Relevant identified	uses of the substa	nce or mixture and uses advised against	
Identified uses	Hydraulic oil.		
1.3. Details of the suppl	er of the safety da	ta sheet	
Supplier	TOTAL LUBRIFIANT 562 Avenue du Parc 92029 Nanterre Ced Tél: +33 (0)1 41 35 4	de L'ile ex	

For further information, please contact:

Contact Point	HSE
E-mail Address	rm.msds-lubs@total.com

1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)

France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59

In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel : 01.40.05.48.48. -MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel (15)

Fax: +33 (0)1 41 35 84 71

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008***

DIRECTIVE 67/548/EEC or 1999/45/EC



VISGA 150

Revision Date: 2013-12-05

Version 2

For the full text of the R-phrases mentioned in this Section, see Section 16

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments **Symbol(s)** Not classified

2.2. Label elements

Labelled according to

Not classified/No labelling required

Hazard Statements *** none***

Precautionary Statements none***

2.3. Other hazards

Physical-Chemical Properties	Contaminated surfaces will be extremely slippery.
Environmental properties	Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture***

Hazardous ingredients	Do not contain hazardous substance nor substance with european workplace exposure limits in concentration above regulatory thresholds
Additional information	Product containing mineral oil with less than 3% DMSO extract as measured by IP 346
For the full text of the R-phrases m	antioned in this Section see Section 16

For the full text of the R-phrases mentioned in this Section, see Section 16 For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids.



SDS # : 32867	VISGA 150	
	Revision Date: 2013-12-05 V	ersion 2
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be s immediately to hospital.	ent
Inhalation	Move to fresh air.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person physician or Poison Control Center immediately.	. Call a
4.2. Most important sympt	oms and effects, both acute and delayed	
Eye contact	Not classified.	
Skin contact	Not classified. High pressure injection of the products under the skin may have ver consequences even though no symptom or injury may be apparent.	y serious
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of res system.	piratory
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	ł
4.3. Indication of immedia	te medical attention and special treatment needed, if necess	ary
Notes to physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.
------------------------------	--

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special HazardIncomplete combustion and thermolysis may produce gases of varying toxicity such as
carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may
be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Advice for fire-fighters

Special protective equipment for Wear self-contained breathing apparatus and protective suit. **fire-fighters**



SDS #: 32867 **VISGA 150** Revision Date: 2013-12-05 Version 2 Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures 6.1. **General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. 6.2. Environmental precautions **General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. 6.3. Methods and materials for containment and cleaning up Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. 6.4. Reference to other sections See Section 8 for more detail. **Personal Protective Equipment** Waste treatment See section 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.



VISGA 150

Revision Date: 2013-12-05

Version 2

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage
conditionsKeep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep
container tightly closed. Keep preferably in the original container. Otherwise reproduce all
indication of the regulation label on the new container. Do not remove the hazard labels of
the containers (even if they are empty). Design the installations in order to avoid accidental
emissions of product (due to seal breakage, for example) onto hot casings or electrical
contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

7.3. Specific end uses

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits	oil mist : 10mg/m³, for 15 minutes; oil mist : 5mg/m³, for 8 hours***
Legend	See section 16
8.2. Exposure controls	
Occupational Exposure Controls	
Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
Personal Protective Equipment	
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.



SDS # : 32867	VISGA 150	
	Revision Date: 2013-12-05	Version 2
Hand Protection	Hydrocarbon-proof gloves, Nitrile rubber, Fluorinated rubber. Please instructions regarding permeability and breakthrough time which are supplier of the gloves. Also take into consideration the specific local the product is used, such as the danger of cuts, abrasion. If used in other substances, and under conditions which differ from EN 374, cu the EC approved gloves.	e provided by the conditions under which solution, or mixed with
Environmental exposure controls		
General Information	The product should not be allowed to enter drains, water courses or	the soil.
9. PHYSICAL AND CHEMIC	AL PROPERTIES	
9.1. Information on basic physical and chemical properties		

Appearance Color Physical State @20°C Odor <u>Property</u> pH	Values	limpid yellow liquid Characteristic Remarks Not applicable***	Method
Boiling point/boiling range		No information available***	
Flash point *** Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature	230*** °C*** 446*** °F*** 887 kg/m ³	No information available*** No information available No information available*** No information available*** @ 15 °C Insoluble*** No information available*** No information available*** No information available***	Cleveland Open Cup (COC) Cleveland Open Cup (COC).
Viscosity, kinematic *** Explosive properties Oxidizing Properties Possibility of hazardous reactions 9.2. Other information	*** 150*** -*** 165 mm2/s Not explosive Not applicable Not applicable	@ 40 °C ***	ISO 3104 ***
Pour point ***	*** -18 °C	***	NF T 60-105 ***
10. STABILITY AND REACT	IVITY		

10.1. Reactivity



VISGA 150

Revision Date: 2013-12-05		Version 2
10.2. Chemical stability		
Stability	Stable under recommended storage conditions.	
10.3. Possibility of hazard	lous reactions	
Hazardous Reactions	None under normal processing.	
10.4. Conditions to Avoid	_	
Conditions to Avoid	Heat (temperatures above flash point), sparks, ignition points, flames, static	electricity.
10.5. Incompatible Mater	ials	
Materials to Avoid	Strong oxidizing agents.	
10.6. Hazardous Decomp	osition Products	
Hazardous Decomposition Produce	ets None under normal use.	
11. TOXICOLOGICAL INFO	RMATION	

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.	
Eye contact	. Not classified.	
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.	
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Acute toxicity - Component Information		
Sensitization		
Sensitization	Not classified as a sensitizer.	
Specific effects		
Carcinogenicity	This product is not classified carcinogenic.	



SDS # : 32867	VISGA 150	
	Revision Date: 2013-12-05	Version 2
Mutagenicity Reproductive toxicity Repeated Dose Toxicity	This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.	
Subchronic toxicity	No information available.	
Target Organ Effects (STOT)		
Target Organ Effects (STOT)	No information available.	
Other information		
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and reperent exposures (contact with contaminated clothing).	eated

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Product Information No information available.

Acute aquatic toxicity - Component Information No information available.

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information No information available.

Effects on terrestrial organisms

No information available.

12.2. Persistence and degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information No information available.

logPow Component Information No information available*** No information available.



SDS # : 32867	VISGA 150	
	Revision Date: 2013-12-05 Version 2	
12.4. Mobility in soil		
Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.	
Air	Loss by evaporation is limited.	
Water	Insoluble. The product spreads on the surface of the water.	
12.5. Results of PBT and vPvB assessment		
PBT and vPvB assessment	No information available.	
12.6. Other adverse effects		
General Information	No information available.	
13. DISPOSAL CONSIDERA	ATIONS	
13.1. Waste treatment m	ethods	
Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.	
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.	
14. TRANSPORT INFORMATION		
ADR/RID_	Not regulated	
IMDG/IMO_	Not regulated	
ICAO/IATA	Not regulated	

ADN Not regulated



VISGA 150

Revision Date: 2013-12-05

Version 2

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories

EINECS/ELINCS	-			
TSCA	-			
DSL	-			
ENCS	-			
IECSC	-			
KECL	-			
PICCS	-			
AICS	-			
NZIoC	-			
Legend				
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances				
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory				
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List				
ENCS - Japan Existing and New Chemical Substances				
IECSC - China Inventory of Existing Chemical Substances				
KECL - Korean Existing and Evaluated Chemical Substances				
PICCS - Philippines Inventory of Chemicals and Chemical Substances				
AICS - Australian Inventory of Chemical Sul				
NZIOC - New Zealand Inventory of Chemica	ls			

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment	No information available

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3 Not applicable***

Abbreviations, acronyms

Legend Se	ction 8		
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction



VISGA 150

Revision Date: 2013-12-05

Version 2

Revision Date: Revision Note 2013-12-05 *** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet