

### **MATERIAL SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

### **BARELF SM 46**

#### Date of the previous version: 2013-01-16

**Revision Date:** 2014-01-15

Version 2

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name	BARELF SM 46
Number	EGK
Pure substance/mixture	Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

#### 1.3. Details of the supplier of the safety data sheet

Supplier

TOTAL LUBRIFIANTS 562 Avenue du Parc de L'ile 92029 Nanterre Cedex Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

Compressor oil.

#### For further information, please contact:

Contact Point	HSE
E-mail Address	rm.msds-lubs@total.com

#### 1.4. Emergency telephone number

#### +33 1 49 00 00 49 (24h/24, 7d/7)

France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59

In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel : 01.40.05.48.48. -MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel (15)

#### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

#### Classification\*\*\*

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008\*\*\*

#### DIRECTIVE 67/548/EEC or 1999/45/EC



### **BARELF SM 46**

Revision Date: 2014-01-15

Version 2

For the full text of the R-phrases mentioned in this Section, see Section 16

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments **Symbol(s)** Not classified

2.2. Label elements

Labelled according to

Not classified/No labelling required\*\*\*

Hazard Statements \*\*\* none\*\*\*

Precautionary Statements none\*\*\*

#### 2.3. Other hazards

slippery.
3

Environmental properties Should not be released into the environment.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixture

Chemical natureThe product is made from synthetic base oils (Polyalfaolefins) ,Hazardous ingredientsDo not contain hazardous substance nor substance with european workplace exposure<br/>limits in concentration above regulatory thresholds

For the full text of the R-phrases mentioned in this Section, see Section 16 For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.



<b>SDS #</b> : 33612	BARELF SM 46
	Revision Date: 2014-01-15 Version 2
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.***
4.2. Most important sympt	coms and effects, both acute and delayed
Eye contact	Not classified.
Skin contact	Not classified.
Inhalation	Not classified. Inhalation of dust in high concentration may cause irritation of respiratory system.***
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
4.3. Indication of immedia	te medical attention and special treatment needed, if necessary
Notes to physician	Treat symptomatically.
5. FIRE-FIGHTING MEASUR	ES
	23
5.1. Extinguishing media	E3
	Foam. Carbon dioxide (CO 2), ABC powder, Water spray or fog.***
5.1. Extinguishing media Suitable Extinguishing Media	
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable Extinguishing Media	Foam. Carbon dioxide (CO 2), ABC powder, Water spray or fog.***
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable Extinguishing Media	Foam. Carbon dioxide (CO 2), ABC powder, Water spray or fog.*** Do not use a solid water stream as it may scatter and spread fire.
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arisir	Foam. Carbon dioxide (CO <sub>2</sub> ), ABC powder, Water spray or fog.*** Do not use a solid water stream as it may scatter and spread fire. <u>Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.</u>
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arisir Special Hazard 5.3. Advice for fire-fighter Special protective equipment for	Foam. Carbon dioxide (CO <sub>2</sub> ), ABC powder, Water spray or fog.*** Do not use a solid water stream as it may scatter and spread fire. <u>Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.</u>
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arisir Special Hazard	Foam. Carbon dioxide (CO 2), ABC powder, Water spray or fog.*** Do not use a solid water stream as it may scatter and spread fire. ang from the substance or mixture Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.



### **BARELF SM 46**

Revision Date: 2014-01-15

Version 2

#### 6.1. Personal precautions, protective equipment and emergency procedures

# General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.\*\*\*

#### 6.2. Environmental precautions

## **General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Personal Protective Equipment	See Section 8 for more detail.

Waste treatment See section 13.

7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. Use only in well-ventilated areas. For personal protection see section 8. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.***
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities



<b>SDS #</b> : 33612	BARELF SM 46
	Revision Date: 2014-01-15 Version
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce al indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accident emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.***
Materials to Avoid	Strong oxidizing agents.
7.3. Specific end uses	
8. EXPOSURE CONTROLS/F	PERSONAL PROTECTION
8.1. Control parameters	
Exposure limits	Do not contain substance with european workplace exposure limits in concentration above regulatory thresholds***
Legend	See section 16
8.2. Exposure controls	
Occupational Exposure Controls	
Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.***
Personal Protective Equipment	
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied
Respiratory protection	None under normal use conditions.
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing: Protective gloves, Long sleeved clothing, Protective shoes or boots.
Hand Protection	Hydrocarbon-proof gloves. Nitrile rubber. Fluorinated rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under whi the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed wir other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.



### **BARELF SM 46**

Revision Date: 2014-01-15

Version 2

#### Environmental exposure controls

**General Information** 

The product should not be allowed to enter drains, water courses or the soil.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		colorless To light yellow liquid Characteristic	
Property pH Boiling point/boiling range	Values	<b>Remarks_</b> Not applicable No information available	Method
Flash point	<b>262 °C</b> 504 °F		ISO 2592 ISO 2592.
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density		No information available No information available No information available No information available	
Density Water solubility Solubility in other solvents logPow	839 kg/m <sup>3</sup>	<ul> <li>@ 15 °C</li> <li>Insoluble***</li> <li>No information available</li> <li>No information available</li> </ul>	ISO 3675
Autoignition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions	46 mm2/s Not explosive Not applicable Not applicable	No information available*** @ 40 °C	ISO 3104
9.2. Other information			

Pour point -48 °C ISO 3016

### 10.1. Reactivity

#### 10.2. Chemical stability

Stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

**Hazardous Reactions** 

None under normal processing.



### **BARELF SM 46**

Revision Date: 2014-01-15

Version 2

#### 10.4. Conditions to Avoid

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

Skin contact	Not classified.
Eye contact	Not classified.
Inhalation	. Not classified. Inhalation of dust in high concentration may cause irritation of respiratory system.***
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Acute toxicity - Component Informa	ation
Sensitization	
Sensitization	Not classified as a sensitizer.
Specific effects	
Carcinogenicity Mutagenicity Reproductive toxicity Repeated Dose Toxicity	This product is not classified carcinogenic: This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.
Subchronic toxicity	No information available.
Target Organ Effects (STOT)	
Target Organ Effects (STOT)	No information available.



### **BARELF SM 46**

**Revision Date:** 2014-01-15

Version 2

#### Other information

Other adverse effects

Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).\*\*\*

#### 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Not classified.

#### Acute aquatic toxicity - Product Information No information available.

#### Acute aquatic toxicity - Component Information

Chronic aquatic toxicity - Product Information No information available.

Chronic aquatic toxicity - Component Information No information available.

#### Effects on terrestrial organisms

No information available.

#### 12.2. Persistence and degradability

**General Information** 

No information available.

#### 12.3. Bioaccumulative potential

Product Information	No information available.
logPow Component Information 12.4. Mobility in soil	No information available No information available.***
Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Insoluble.



### **BARELF SM 46**

**Revision Date: 2014-01-15** 

Version 2

#### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.

#### 12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS	
IS DISTOSAL CONSIDERATIONS	

#### 13.1. Waste treatment methods

Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.***
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 02 06. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.***

#### 14. TRANSPORT INFORMATION

ADR/RID	Not regulated
IMDG/IMO	Not regulated
ICAO/IATA	Not regulated
ADN	Not regulated

#### 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union



### **BARELF SM 46**

**Revision Date: 2014-01-15** 

Version 2

#### Other regulations

Directive 1999/13/EC on the limitation of emissions of volatile organic compounds

#### International Inventories

EINECS/ELINCS					
TSCA	-				
DSL					
ENCS	-				
IECSC	-				
KECL					
PICCS					
AICS					
NZIoC					
Legend					
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances					
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory					
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List					
ENCS - Japan Existing and New Chemical Substances					
IECSC - China Inventory of Existing Chemical Substances					
KECL - Korean Existing and Evaluated Chemical Substances					
PICCS - Philippines Inventory of Chemicals and Chemical Substances					
AICS - Australian Inventory of Chemical Substances					

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

#### Further information

#### 15.2. Chemical Safety Assessment

#### Chemical Safety Assessment No information available

#### 16. OTHER INFORMATION

## Full text of R-phrases referred to under sections 2 and 3 Not applicable\*\*\*

#### Abbreviations, acronyms

Legend Section 8	Sensitizer	,	*	Skin designation
**	Hazard Designation	(	C:	Carcinogen
M:	Mutagen	I	R:	Toxic to reproduction
Revision Date: Revision Note		2014-01-15 *** Indicates updated section	۱.	

#### This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006



### **BARELF SM 46**

**Revision Date: 2014-01-15** 

Version 2

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet